



XCFR2.E158377 Terminal Blocks - Component

Page Bottom

Terminal Blocks - Component

See General Information for Terminal Blocks - Component

NHD INDUSTRIAL CO LTD

E158377

47 LANE 268 HSIN SHU RD

HSIN-CHUANG, TAIPEI HSIEN 242 TAIWAN

Model No.	Wire Range	Wire Type	FW	TQ (In.-Lb)	V	A	UG	CA
HT-2.5	22-12 SOL/STR	CU	2	5	600	20	B,C,D	2(105),4
HT-4	22-10	CU	2	5	600	30(1)	B,C	2(130),4
HT-10	22-10	CU	2	10	600	50(2)	B,C	2(130),4
	8 str							
MEC-15	22-16	CU	2	7	600	15	B,C	2(125),4
HT-16	12, SOL/STR10 SOL	CU	2	20	300	20	B,C	2(105),4
	6-12, SOL/STR	CU	1	20	300	70	B,C	2(105)
	12, SOL/STR10 SOL	CU	2	20	600	20	D	2(105),4
	6-12, SOL/STR	CU	1	20	600	70	D	2(105)
HT-16E#	10 SOL/STR	CU	2	25	600	—	B,C,D	2(105),4
HT-35	2-12, SOL/STR	CU	1	25	600	115	B,C,D	2(105)
	12, SOL/STR14 SOL	CU	2	25	600	20	B,C,D	2(105),4
HT-50	6-1/0, STR	CU	2	30	600	150	B,C,D	2(105),4
HT-95	2, SOL/STR	CU	2	45	600	115	B,C,D	2(105),4
HTP-4	22-10, SOL	CU	2	—	600	30	B,C,D	2(105),4
HT-4E#	10-22, SOL/STR	CU	2	5	600	—	B,C,D	2(105),4, #
HT-10E#	6-20, SOL/STR	CU	2	10	600	—	B,C,D	2(105),4, #
HT-35E#	10, SOL/STR	CU	2	25	600	—	B,C,D	2(105),4, #

- Has been evaluated for its suitability as a protective conductor terminal block and complies with the applicable grounding requirements for terminals for use in a protective circuit. (General Industrial Application).

(1) - 30A maximum for factory wiring only wire sizes 12-22 AWG.

(2) - 50A maximum for factory wiring only.

Marking: Manufacturer's name on device. Model number may be marked on the device or shipping carton.

Last Updated on 2007-12-07

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

Copyright © 2007 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2007 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

