

XCFR8.E158377 - Terminal Blocks Certified for Canada - Component

Terminal Blocks Certified for Canada - Component

[See General Information for Terminal Blocks Certified for Canada - Component](#)

NHD INDUSTRIAL CO LTD

47 LANE 268 HSIN SHU RD

HSIN-CHUANG, TAIPEI HSIEN 242 TAIWAN

E158377


Cat. No.	Wire Range	Wire Type	TQ N-M	V	A	UG	CA
HT-2.5	22-12 SOL/STR	CU	0.6	600	20	B,C,D	2(105),4
HT-4	22-10, STR 22, SOL	CU	5	600	30(1)	B,C,D	2(105),4
HT-10	22-10, SOL/STR 8, STR	CU	10	600	50(2)	B,C,D	2(105),4
HT-16	12, SOL/STR10, SOL	CU	20	300	20	B,C	2(105),4
	12, SOL/STR10 SOL	CU	20	600	20	D	2(105),4
HT-16E#	10 SOL/STR	CU	2.9	600	—	B,C,D	2(105),4
HT-35	12, SOL/STR14, SOL	CU	25	600	20	B,C,D	2(105),4
HT-50	6-1/0, STR	CU	30	600	150	B,C,D	2(105),4
HT-95	2, SOL/STR	CU	5.1	600	115	B,C,D	2(105),4
HTP-4	22-10, SOL	CU	—	600	30	B,C,D	2(105),4
HT-4E#	10-22, SOL/STR	CU	5	600	—	B,C,D	2(105),4, #
HT-10E#	6-20, SOL/STR	CU	10	600	—	B,C,D	2(105),4, #
HT-35E#	10, SOL/STR	CU	25	600	—	B,C,D	2(105),4, #
NHT-2	14 STR	Cu	0.9	300	20	B, C	2(115), 5
	14 STR	Cu	0.9	600	20	D	2(115), 5
NHT-3.5	12 STR	Cu	1.7	300	30	B, C	2(115), 5
	12 STR	Cu	1.7	600	30	D	2(115), 5
NHT-8	8 STR	Cu	3.4	600	50	B, C, D	2(115), 5
NHT-14	6 STR	Cu	3.4	600	60	B, C, D	2(125), 5
NHT-22	4 STR	Cu	5.1	600	90	B, C, D	2(125), 5
NHT-38	2 STR	Cu	11.3	600	130	B, C, D	2(125), 5
NHT-60	6 STR	Cu	5.1	600	60	B, C, D	2(125), 5
NHT-100	2 STR	Cu	11.3	600	100	B, C, D	2(125), 5
NHT-200	4/0 STR	Cu	22.6	600	240	B, C, D	2(125), 5

NHT-400	500 or 500 x 2 STR	Cu	42.9	600	370	B, C, D	2(125), 5
---------	--------------------	----	------	-----	-----	---------	-----------

#Unique Conditions of Acceptability - Has been evaluated for its suitability as a protective conductor terminal block and complies with the applicable grounding requirements for terminals for use in a protective circuit. (General Industrial Application)

(1) - 30A maximum for factory wiring only wire sizes 12-22 AWG.

(2) - 50A maximum for factory wiring only.

Marking: Company name or trademark "NHD" and Recognized Component Mark for Canada, , on the product. Catalog designation, maximum voltage, wire range, and ampere rating appear on the device or, in or on the carton.

Last Updated on 2008-11-20

在此資料庫中出現的公司名稱或產品，並不代表其產品本身的製造有經過UL 後續檢驗服務的把關。僅有附 UL 標誌的產品才可被視為取得認證，並涵蓋在UL 後續檢驗服務範疇裡。請務必確認產品上是否有此標誌。

UL 允許複製線上認證目錄中所包含的資料，但必須符合以下條件：1.指南資訊、零組件、構造、設計、系統和/或認證(檔案)必須以完整的方式呈現，且不得誤導、不得操弄這些資料(或圖繪)。2.「經 UL 許可自線上認證目錄轉載」的聲明，必須顯示在擷取的資料旁。此外，轉載的資料必須包含以下格式的版權聲明："©2023 UL LLC."